





This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



PANEL DETAIL
SCALE: 1:8




PLUMBING DETAIL
SCALE 1:8



NOTE:

- ① USE APPROPRIATE ADHESIVE TO ATTACH PLACARD TO CONTROL PANEL, AS SHOWN.
- ② PLACEMENT OF CLAMP NOT CRITICAL. USED AS STRAIN RELIEF FOR HOSES AND HOLDER FOR WASH WAND.


			
TITLE 3000 WASH SYSTEM			
DWG NO. HT-3000-CW			REV 3
MAT'L		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/✓	
HEAT TREAT			
FINISH			
SPEC			
DRAWN BY:	DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
CHECKED:	CLOUGH		
OPPS APPR:	ANDERSON		
QA APPR:	LINDSAY		
APPROVED:	GILBERT		
SCALE 1:20		DATE 10/22/2014	
		SHEET 1 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-123 ADDED QTY 2 TO BOM. CH'D B/O REF WAS #50915K726 IS #5053K67. -125 DELETED. -129 CH'D B/O REF WAS #6541K57 IS #5574K16.	9/8/2016	DPD	SM

-105 QTY	-85 QTY	-83 QTY	-59 QTY	-49 QTY	-47 QTY	-1 QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
						X		-1	1	FRAME WELDMENT			4 & 5
						2		-3		SIDE TUBE	STEEL TUBE		6
						2		-5		END TUBE	STEEL TUBE		7
						2		-7		MIDDLE TUBE	STEEL TUBE		8
						1		-9		CENTER TUBE	STEEL TUBE		9
						4		-11		OUTTER PLATE	A36/1018/1020 HR		10
						1		-13		AXLE TUBE	STEEL TUBE		11
						4		-15		AXLE CROSS BRACE	STEEL TUBE		12
						1		-17		OUTSIDE UPRIGHT	STEEL TUBE		13
						1		-19		TOP HORIZONTAL BAR	STEEL TUBE		14
						1		-21		MIDDLE HORIZONTAL BRACE	STEEL TUBE		15
						2		-23		RIGHT UPRIGHT	STEEL TUBE		16
						1		-25		MIDDLE UPRIGHT	STEEL TUBE		17
						4		-27		RETAINER, HOSE REEL	A36/1018/1020 HR		18
						2		-29		HOSE REEL	STEEL TUBE		19
						1		-31		LIFTING EYE	1018/1020 CR		20
						2		-33		GUSSET	1018/1020 CR		21
						1		-35		CASTER MOUNT	1018/1020 CR		22
						2		-37		BRACE	A36/1018/1020 HR		23
						1		-39		CONTROL PANEL	A36/1018/1020 HR		24
						1		-41		CENTER PLATE	1018/1020 CR		25
						2		-43		FRONT/BACK PANEL SUPPORT	STEEL TUBE		26
						2		-45		SIDE PANEL SUPPORT	STEEL TUBE		27
					X			-47	1	STEERING ASSEMBLY			28
				X	1			-49		HANDLE WELDMENT			29
				1				-51		HANDLE MOUNT	1018/1020 CR		30
				1				-53		HANDLE	STEEL TUBE		31
				1				-55		BRAKE	1018/1020 CR		32
				1				-57		HANDLE UPRIGHT	STEEL TUBE		33
			X		1			-59		CASTER WELDMENT			34
			1					-61		SPRING RETAINER	1018/1020 CR		35
			2					-63		CASTER HANDLE MOUNT	1018/1020 CR		36
								-65	1	AXLE	303/304		37
								-67	4	TANK BAND	S.S.		38
								-69	2	PLACARD OFF	PLASTIC		39
								-71	1	PLACARD ON	PLASTIC		40
								-73	1	PLACARD AGITATION	PLASTIC		41
								-75	1	PLACARD AIR PRESSURE	PLASTIC		42
								-77	1	PLACARD AIR REGULATOR	PLASTIC		43
								-79	1	PLACARD RINSE	PLASTIC		44
								-81	1	PLACARD WASH	PLASTIC		45
		X						-83	1	WASH TANK ASSEMBLY			46
	X							-85	1	RINSE TANK ASSEMBLY			47
		1						-87		30 GALLON TANK	PLASTIC	(NORWESCO 30 GALLON APPLICATOR TANK) MODIFIED	48
	1							-89		30 GALLON TANK	PLASTIC	(NORWESCO 30 GALLON APPLICATOR TANK) MODIFIED	49
	2	3					B/O	-91		BULKHEAD FITTING	PVC	Ø1 NPT FEMALE X FEMALE X 2-7/8 (MCMASTER-CARR #36895K163)	46 & 47
	1	1					B/O	-93	2	90° ELBOW	NYLON	Ø1 TUBE X Ø NPT, 90° (MCMASTER-CARR #2974K175)	1, 46, 47
	1	3					B/O	-95		REDUCER	BRASS	Ø1 NPT MALE X Ø1/4 NPT FEMALE (MCMASTER-CARR #4429K461)	46 & 47
	1	1					B/O	-97		SQUARE HEAD PLUG	BRASS	Ø1/4 NPT (MCMASTER-CARR #4429K312)	46 & 47
		1					B/O	-99		MALE BRANCH TEE	BRASS	Ø1/4 TUBE X Ø1/4 TUBE X Ø1/4 NPT (PACIFIC RUBBER #PAR 72PC-4-4)	46
		A/R					B/O	-101	A/R	Ø1/4 TUBING	POLYETHYLENE	Ø1/4 X 10 FT (PACIFIC RUBBER #KUR1/4POLY)	1 & 46
X								-105	1	PUMP ASSEMBLY			50
1							B/O	-107		DIAPHRAGM PUMP		(VERSA-MATIC #E1AP4F449C)	50
2							B/O	-109		NIPPLE Ø1		Ø1 PIPE SIZE X 1-1/2 (MCMASTER-CARR #44615K416)	50
1							B/O	-111		45° ELBOW	BRASS	Ø1 PIPE SIZE, 45° (MCMASTER-CARR #4429K265)	50
1							B/O	-113		FEMALE ADAPTER SLIP X FIPT	PVC	Ø1 PIPE SIZE, SLIP X FIPT (MCMASTER-CARR #4880K83)	50
2							B/O	-115		Ø1 PVC PIPE	PVC	Ø1" X 2, SCH 40 (JERRY'S #140PVC5)	50
1							B/O	-117		FILTER		(RUSCO #1-200SS-F)	50
1							B/O	-119		ELBOW	PVC	Ø1 PVC 90° ELBOW SLIP X FIPT (MCMASTER-CARR #4596K669)	50
1							B/O	-121		BLUE HOSE	PVC	15' GYIPIOVIC 3/4 BLUE 250 W/ 2 NWHMPT 12-12 BARB TO 3/4 (PACIFIC RUBBER)	51
1							B/O	-123	2	TUBE FITTING ELBOW	BRASS	Ø1/2 TUBE X 3/8 NPT, 90° (MCMASTER-CARR #5053K67)	1
1							B/O	-127	1	BARBED TUBE FITTING	NYLON	Ø1 TUBE X Ø1 NPT (MCMASTER-CARR #5372K135)	1 & 50
1	1	1					B/O	-129	3	HOSE CLAMP	S.S.	Ø1 - Ø1-5/8 I.D. (MCMASTER-CARR #5574K16)	1, 46, 47, 50

BOM CONTINUED ON NEXT PAGE.




DART AEROSPACE			
TITLE 3000 WASH SYSTEM			
DWG NO. HT-3000-CW			REV 3
MAT'L HEAT TREAT FINISH SPEC		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/✓	
DRAWN BY: DUERFELDT		1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
CHECKED: CLOUGH		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
OPPS APPR: ANDERSON		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
QA APPR: LINDSAY		USED ON MODEL	
APPROVED: GILBERT			
SCALE 1:12	DATE 10/22/2014	SHEET 2 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	- 161 CH'D B/O REF WAS #2G331 IS #1NWU5. - 165 CH'D B/O REF WAS #MS-PMK-S65 IS #MS-PMK-65. - 169 CH/D B/O REF WAS (AMFLO #4125A-99) IS AMFLO #4125A-99 (PACIFIC RUBBER). - 171 CH'D B/O REF WAS #76-101-01 IS #76-102-01. - 175 QTY 2 REPLACED WITH -123. - 177 CH'D B/O REF WAS #50915K327 IS #5053K55. - 179 CH'D B/O REF WAS #50915K715 IS #5053K62. - 201 CH'D B/O REF WAS #4071A-99 IS #AMF4778). - 205 ADDED QTY 2 TO ASSY -47.	9/8/2016	DPD	SM

CONTINUED FROM PREVIOUS PAGE.



-105 QTY	-85 QTY	-83 QTY	-59 QTY	-49 QTY	-47 QTY	-1 QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
						1	B/O	-131		CORNER	STEEL	14 GA. X 1 IN. SQ. TUBE (SHARPE PRODUCTS #SQC100)	3
		1					B/O	-133		SWIVEL CASTER		Ø10 X 3-3/4 X 13 (GRAINGER #3G149)	34
					2		B/O	-135		CLEVIS PIN	S.S.	Ø1/2 X 1, 3/4 USABLE (MCMaster-CARR #92401A703)	28
				4			B/O	-137		WASHER	S.S.	Ø1/2 (MCMaster-CARR #91950A033)	28
				2			B/O	-139		SPRING	STEEL	Ø.091 WIRE X Ø7/8 O.D. X 3-1/2 (MCMaster-CARR #9654K226)	28
							B/O	-141	4	CAP SCREW	STEEL	3/8-16 X 3/4 (MCMaster-CARR #94967A517)	1
							B/O	-143	4	WASHER	STEEL	Ø3/8 (MCMaster-CARR #97416A127)	1
							B/O	-145	4	WASHER	STEEL	Ø9/16 (MCMaster-CARR #90108A034)	1
							B/O	-147	2	COTTER PIN	STEEL	Ø5/32 X 1-1/2 (MCMaster -CARR #98338A493)	1
							B/O	-149	8	CAP SCREW	S.S.	1/4-20 X 5/8 (MCMaster-CARR #93190A539)	1
							B/O	-151	8	WASHER	S.S.	Ø1/4 (MCMaster-CARR #91950A029)	1
							B/O	-153	8	DOWEL NUT	STEEL	1/4 -20 X .786 (EUGENE FASTENER #JCD 14202010)	1
							B/O	-155	4	CAP SCREW	SS	3/8-16 X 1-3/8 (MCMaster-CARR #92245A627)	1
							B/O	-157	8	SAE WASHER	S.S.	Ø3/8 (MCMaster-CARR #91950A031)	1
							B/O	-159	4	LOCKNUT	S.S.	3/8-16 (MCMaster-CARR #90715A145)	1
							B/O	-161	2	TIRE		Ø10 X 2-1/4 (GRAINGER #1NWU5)	1
							B/O	-163	1	3 WAY BALL VALVE		(SWAGLOK #SS-65XTF16)	1
							B/O	-165	1	PANEL MOUNT KIT	STEEL	(SWAGLOK #MS-PMK-65)	1
							B/O	-167	1	PRESSURE GUAGE		160 PSI (PACIFIC RUBBER #PIC203L-204F)	1
							B/O	-169	1	AIR REGULATOR		AMFLO #4125A-99 (PACIFIC RUBBER)	1
							B/O	-171	1	ON/OFF VALVE	S.S.	(PARAMOUNT SUPPLY #76-102-01)	1
							B/O	-173	1	AGITATION VALVE	STEEL	(MOTION & FLOW CONTROL #MV400S)	1
							B/O	-177	1	STRAIGHT TUBE FITTING	BRASS	Ø1/2 TUBE X 3/8 NPT (MCMaster-CARR #5053K55)	1
		1					B/O	-179	4	TUBE FITTING ELBOW	BRASS	Ø1/4 TUBE X 1/4 NPT, 90° (MCMaster-CARR #5053K62)	1 & 46
							B/O	-181	1	45° ELBOW	BRASS	Ø3/8 NPT MALE X Ø3/8 NPT FEMALE, 45° (MCMaster-CARR #50785K83)	1
							B/O	-183	1	STRAIGHT FEMALE TUBE FITTING	BRASS	Ø1/4 TUBE X Ø1/4 NPT (MCMaster-CARR #50915K215)	1
							B/O	-185	1	AGITATION VALVE MOUNT KIT	STEEL	(MOTION & FLOW CONTROL #MVK4)	1
							B/O	-187	A/R	Ø1/2 TUBING	POLYETHYLENE	Ø1/2 X 5 FT (PACIFIC RUBBER #KUR1/2POLY)	1
							B/O	-189	3	Ø1 HOSE	PVC	BLUE PVC LOW TEMP SUCTION, 10 FT (PACIFIC RUBBER #KURBW100)	1
							B/O	-191	1	GREEN HOSE	PVC	15' GYPLIOVIC 1/2 GRN W/2 NWHMPT 8-6 (PACIFIC RUBBER)	52
							B/O	-193	2	LOOP CLAMP	STEEL	Ø3/4 X 1/2 (MCMaster-CARR #3225T46)	1
							B/O	-195	1	LOOP CLAMP	STEEL	Ø1 X 1/2 (MCMaster-CARR #3225T48)	1
							B/O	-197	3	SELF DRILLING SCREW	STEEL	10-24 X 3/4, #3 DRILL POINT (MCMaster-CARR #91324A551)	1
							B/O	-199	2	MACHINE SCREW	STEEL	10-24 X 5/16 (MCMaster-CARR #90272A239)	1
							B/O	-201	1	AIR REGULATOR MOUNT	STEEL	(AMFLO #4778)	1
							B/O	-203	2	DECAL	VINYL	SIGNS NOW	53
					2		B/O	-205		HANDLE GRIP	VINYL	FITS Ø1 O.D. X 4-1/2, BLACK (MCMaster-CARR #97045K51)	28
		1					B/O			WASH EMBLEM		HT-500-CWA-010P-70A	46
							B/O			RINSE EMBLEM		HT-500-CWA-010P-70B	47
							B/O		1	DART PLACARD	ALUMINUM	R841011	1






DART AEROSPACE			
TITLE 3000 WASH SYSTEM			
DWG NO. HT-3000-CW			REV 3
MAT'L	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ±.5° .X ± .1 SURFACES = 125°✓		
HEAT TREAT			
FINISH			
SPEC			
DRAWN BY:	DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
CHECKED:	CLOUGH		
OPPS APPR:	ANDERSON		
QA APPR:	LINDSAY		
APPROVED:	GILBERT	USED ON MODEL	
SCALE	1:12	DATE	10/22/2014
SHEET 3 OF 53			

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.


REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED



SECTION B-B




SECTION A-A






-1

FRAME WELDMENT


			
TITLE 3000 WASH SYSTEM			
DWG NO. HT-3000-CW-1			REV 3
MAT'L HEAT TREAT FINISH POWDER COAT YELLOW SPEC FED #13538		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125/✓ 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT		USED ON MODEL	
CHECKED: CLOUGH			
OPPS APPR: ANDERSON			
QA APPR: LINDSAY			
APPROVED: MACKOVJAK			
SCALE 1:16	DATE 10/23/2014	SHEET 4 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



REVISIONS							
REV	ECR	DESCRIPTION			DATE	INITIAL	APPROVED
3	16-0144	-1 ADDED DIMS 10.88, 12.50.			9/8/2016	DPD	SM



SECTION D-D



SECTION C-C






(1)

FRAME WELDMENT

DART AEROSPACE			
TITLE		3000 WASH SYSTEM	
DWG NO.		HT-3000-CW-1	REV 3
MAT'L		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH		.XXX ± .010 FRACTIONS ± 1/8	
SPEC		.XX ± .03 ANGLES ± 1°	
FED #13538		.X ± .1 SURFACES = 125/	
DRAWN BY:		1. BREAK ALL SHARP EDGES	
CHECKED:		.015 x 45° OR .015R	
OPPS APPR:		2. DIMENSIONAL LIMITS APPLY	
QA APPR:		AFTER PLATING	
APPROVED:		3. INTERPRET DIM AND TOL PER	
SCALE		ASME Y14.5M-2009	
DATE		USED ON MODEL	
1:16		10/23/2014	
SHEET 5 OF 53			

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-3)
SIDE TUBE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-3	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/20/2014
	SHEET 6 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(5)
END TUBE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-5	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/20/2014
	SHEET 7 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-7)
MIDDLE TUBE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-7	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/20/2014
	SHEET 8 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED







⑨
CENTER TUBE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-9	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/20/2014
	SHEET 9 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-11 CH'D MAT'L WAS A36 IS A36/1018/1020 HR.	9/8/2016	DPD	SM






(11)
OUTTER PLATE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-11	REV 3
MAT'L A36/1018/1020 HR	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH SEE -1 WELDMENT	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: MACKOVJAK	
SCALE 1:6	DATE 10/20/2014 SHEET 10 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
			INITIAL
			APPROVED






(-13)
AXLE TUBE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-13	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/20/2014
	SHEET 11 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE






(15)

AXLE CROSS BRACE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-15	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 12 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-17)

OUTSIDE UPRIGHT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-17	REV. 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:3	DATE 10/20/2014
	SHEET 13 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-19)

TOP HORIZONTAL BAR

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-19	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 14 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-21)

MIDDLE HORIZONTAL BRACE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-21	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 15 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-23)

RIGHT UPRIGHT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-23	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 16 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-25)

MIDDLE UPRIGHT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-25	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 17 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-27 CH'D MAT'L WAS A36 IS A36/1018/1020 HR.	9/8/2016	DPD	SM





(-27)

RETAINER, HOSE REEL

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-27	REV 3
MAT'L A36/1018/1020 HR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/27/2014
	SHEET 18 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-29 ADDED DIM .06.	9/8/2016	DPD	SM






(-29)
HOSE REEL

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-29	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE-1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 19 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-31 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM





(-31)

LIFTING EYE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-31	REV 3
MAT'L 1018/1020 CR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 20 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-33 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM






(-33)

GUSSET

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-33	REV 3
MAT'L 1018/1020 CR HEAT TREAT FINISH SEE -1 WELDMENT SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° ✓	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT	USED ON MODEL
CHECKED: CLOUGH	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: MACKOVJAK	
SCALE 1:2	DATE 10/20/2014
SHEET 21 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-35 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM






4X 3/8-16 UNC - 2B THRU ALL

(-35)
CASTER MOUNT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-35	REV 3
MAT'L 1018/1020 CR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 22 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-37 CH'D MAT'L WAS A36 IS A36/1018/1020 HR.	9/8/2016	DPD	SM








(-37)
BRACE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-37	REV 3
MAT'L A36/1018/1020 HR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125/✓
CHECKED: CLOUGH	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: MACKOVJAK	AFTER PLATING
SCALE 1:2	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 10/20/2014	USED ON MODEL
SHEET 23 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.




REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
3	16-0144	-39 CH'D MAT'L WAS A36 IS A36/1018/1020 HR. CH'D DIMS WAS Ø2.000 IS Ø2.100, WAS Ø.750 IS Ø.770. ADDED DIMS 2X Ø.28, 4.61, 3.93, 14.38,15.05, 2X 18°.	9/8/2016	DPD



DART AEROSPACE			
TITLE 3000 WASH SYSTEM			
DWG NO. HT-3000-CW-39			REV 3
MAT'L A36/1018/1020 HR		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
HEAT TREAT		.XXX ± .010 FRACTIONS ± 1/8	
FINISH SEE -1		.XX ± .03 ANGLES ±1°	
SPEC		.X ± .1 SURFACES = 125✓	
DRAWN BY: DUERFELDT		1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
CHECKED: CLOUGH		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
OPPS APPR: ANDERSON		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
QA APPR: LINDSAY		USED ON MODEL	
APPROVED: MACKOVJAK			
SCALE 1:4	DATE 10/22/2014	SHEET 24 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-41 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM



4X Ø .41 THRU ALL




(-41)

CENTER PLATE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-41	REV 3
MAT'L 1018/1020 CR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
SCALE 1:4	DATE 10/20/2014
	SHEET 25 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED






TITLE		3000 WASH SYSTEM	
DWG NO.		HT-3000-CW-43	
REV		3	
MAT'L STEEL TUBE		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH SEE -1 WELDMENT		.XXX ± .010 FRACTIONS ± 1/8	
SPEC		.XX ± .03 ANGLES ± 1°	
DRAWN BY: DUERFELDT		.X ± .1 SURFACES = 125	
CHECKED: CLOUGH		1. BREAK ALL SHARP EDGES	
OPPS APPR: ANDERSON		.015 x 45° OR .015R	
QA APPR: LINDSAY		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
APPROVED: MACKOVJAK		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
SCALE 1:4		DATE 10/20/2015	
		SHEET 26 OF 53	

(-43)

FRONT/BACK PANEL SUPPORT

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-45)

SIDE PANEL SUPPORT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-45	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:4	DATE 10/20/2015
	SHEET 27 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-47 ADDED -205 QTY 2.	9/8/2016	DPD	SM






STEERING ASSEMBLY

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-47	REV 3
MAT'L _____ REAT _____ TREAT _____ FINISH _____ SPEC _____	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° ✓	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY:	DUERFELDT
CHECKED:	CLOUGH
OPPS APPR:	ANDERSON
QA APPR:	LINDSAY
APPROVED:	MACKOVJAK
SCALE	1:10
DATE	11/16/2015
SHEET 28 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED








HANDLE WELDMENT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-49	REV 3
MAT'L 6061-T6 ALUMINUM	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
FINISH POWDER COAT YELLOW	.XXX ± .010 FRACTIONS ± 1/8
SPEC FED #13538	.XX ± .03 ANGLES ± 1°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125° ✓
CHECKED: CLOUGH	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
QA APPR: LINDSAY	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
APPROVED: MACKOVJAK	USED ON MODEL
SCALE 1:12	DATE 11/16/2015
SHEET 29 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-51 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM






(-51)
HANDLE MOUNT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-51	REV 3
MAT'L 1018/1020 CR HEAT TREAT FINISH SEE -51 WELDMENT SPEC DRAWN BY: DUERFELDT CHECKED: CLOUGH OPPTS APPR: ANDERSON QA APPR: LINDSAY APPROVED: MACKOVJAK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL	
SCALE 1:4	DATE 10/27/2015
SHEET 30 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED







(-53)
HANDLE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-53	REV 3
MAT'L STEEL TUBE	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -51 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/27/2015
	SHEET 31 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-55 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM



(-55)


BRAKE



TITLE		3000 WASH SYSTEM	
DWG NO.		HT-3000-CW-55	
REV		3	
MAT'L 1018/1020 CR		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH SEE -51 WELDMENT		.XXX ± .010 FRACTIONS ± 1/8	
SPEC		.XX ± .03 ANGLES ± 1°	
DRAWN BY: DUERFELDT		.X ± .1 SURFACES = 125°	
CHECKED: CLOUGH		1. BREAK ALL SHARP EDGES	
OPPS APPR: ANDERSON		.015 x 45° OR .015R	
QA APPR: LINDSAY		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
APPROVED: MACKOVJAK		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
SCALE 1:2		DATE 10/27/2015	
		SHEET 32 OF 53	



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-57 CH'D DIMS WAS R.25 IS R2.5, WAS 42° IS 42° ±2°.	9/9/2016	DPD	SM



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-59 ADDED WELD SYMBOLS.	9/9/2016	DPD	SM






(-59)

CASTER WELDMENT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-59	REV 3
MAT'L FEAT	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TREAT FINISH PAINT BLACK	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: MACKOVJAK	
SCALE 1:6	DATE 10/23/2014
SHEET 34 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-61 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM






(-61)

SPRING RETAINER

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-61	REV 3
MAT'L 1018/1020 CR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -61 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:1	DATE 10/27/2015
	SHEET 35 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-63 CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	9/8/2016	DPD	SM




(-63)

CASTER HANDLE MOUNT

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-63	REV 3
MAT'L 1018/1020 CR	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -61 WELDMENT	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:2	DATE 10/20/2014
	SHEET 36 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-65 CH'D DIMS WAS 29.00 IS 24.55, WAS 28.55 IS 24.10.	9/8/2016	DPD	JAG






(-65)
AXLE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-65	REV 3
MAT'L 303/304	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: MACKOVJAK	
SCALE 1:2	DATE 10/20/2014 SHEET 37 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
3	16-0144	-67 ADDED SPOT WELD NOTE. CH'D DIMS WAS Ø.63 IS 2X Ø.63, WAS 5.62 MIN IS 2X 5.62 MIN, WAS .38 IX 2X .38.	9/8/2016	DPD
				SM






NOTE:
FORM BY HAND AS REQUIRED.

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-67	REV 3
MAT'L S.S.	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:8	DATE 10/27/2015
	SHEET 38 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-69 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM





NOTE:
USE PDF.

(-69)
PLACARD OFF

DART AEROSPACE																				
TITLE 3000 WASH SYSTEM																				
DWG NO. HT-3000-CW-69	REV 3																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">MAT'L PLASTIC</td> <td rowspan="4" style="width: 70%; vertical-align: top;"> <small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°</small> </td> </tr> <tr> <td>REAT</td> </tr> <tr> <td>FINISH</td> </tr> <tr> <td>SPEC</td> </tr> <tr> <td>DRAWN BY: DUERFELDT</td> <td>1. BREAK ALL SHARP EDGES .015 x 45° OR .015R</td> </tr> <tr> <td>CHECKED: CLOUGH</td> <td>2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> <td>3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009</td> </tr> <tr> <td>QA APPR: LINDSAY</td> <td>USED ON MODEL</td> </tr> <tr> <td>APPROVED: MACKOVJAK</td> <td></td> </tr> <tr> <td>SCALE 1:1</td> <td>DATE 10/23/2015</td> </tr> <tr> <td colspan="2" style="text-align: right;">SHEET 39 OF 53</td> </tr> </table>		MAT'L PLASTIC	<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°</small>	REAT	FINISH	SPEC	DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	QA APPR: LINDSAY	USED ON MODEL	APPROVED: MACKOVJAK		SCALE 1:1	DATE 10/23/2015	SHEET 39 OF 53	
MAT'L PLASTIC	<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°</small>																			
REAT																				
FINISH																				
SPEC																				
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R																			
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING																			
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009																			
QA APPR: LINDSAY	USED ON MODEL																			
APPROVED: MACKOVJAK																				
SCALE 1:1	DATE 10/23/2015																			
SHEET 39 OF 53																				

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-71 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM



NOTE:
USE PDF.

(-71)
PLACARD ON


DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-71	REV 3
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED
FEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
SCALE 1:1	ASME Y14.5M-2009
DATE 10/23/2015	USED ON MODEL
SHEET 40 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-73 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM

AGITATION

BLACK BACKGROUND
WITH WHITE LETTERS



NOTE:
USE PDF.

(-73)

PLACARD AGITATION


DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-73	REV 3
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED
FEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
SCALE 1:1	ASME Y14.5M-2009
DATE 10/23/2015	USED ON MODEL
SHEET 41 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-75 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM

AIR PRESSURE

BLACK BACKGROUND
WITH WHITE LETTERS



NOTE:
USE PDF.



TITLE		3000 WASH SYSTEM	
DWG NO.		HT-3000-CW-75	REV 3
MAT'L PLASTIC		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH		.XXX ± .010 FRACTIONS ± 1/8	
SPEC		.XX ± .03 ANGLES ± 1°	
DRAWN BY: DUERFELDT		.X ± .1 SURFACES = 125	
CHECKED: CLOUGH		1. BREAK ALL SHARP EDGES	
OPPS APPR: ANDERSON		.015 x 45° OR .015R	
QA APPR: LINDSAY		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
APPROVED: MACKOVJAK		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
SCALE 1:1		DATE 10/23/2015	
		SHEET 42 OF 53	

(-75)



PLACARD AIR PRESSURE

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-77 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM

AIR REGULATOR

BLACK BACKGROUND
WITH WHITE LETTERS



NOTE:
USE PDF.






TITLE		3000 WASH SYSTEM	
DWG NO.		HT-3000-CW-77	
REV		3	
MAT'L PLASTIC		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH		.XXX ± .010 FRACTIONS ± 1/8	
SPEC		.XX ± .03 ANGLES ± 1°	
DRAWN BY: DUERFELDT		.X ± .1 SURFACES = 125° ✓	
CHECKED: CLOUGH		1. BREAK ALL SHARP EDGES	
OPPS APPR: ANDERSON		.015 x 45° OR .015R	
QA APPR: LINDSAY		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
APPROVED: MACKOVJAK		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
SCALE 1:1		DATE 10/23/2015	
		SHEET 43 OF 53	

(-77)

PLACARD AIR REGULATOR

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-79 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM




NOTE:
USE PDF.

(-79)
PLACARD RINSE

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-79	REV 3
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED
FEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
SCALE 1:1	ASME Y14.5M-2009
DATE 10/23/2015	USED ON MODEL
SHEET 44 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-81 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM





NOTE:
USE PDF.

(-81)
PLACARD WASH

DART AEROSPACE																				
TITLE 3000 WASH SYSTEM																				
DWG NO. HT-3000-CW-81	REV 3																			
<table border="1"> <tr> <td>MAT'L PLASTIC</td> <td rowspan="4"> UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° ✓ </td> </tr> <tr> <td>HEAT TREAT</td> </tr> <tr> <td>FINISH</td> </tr> <tr> <td>SPEC</td> </tr> <tr> <td>DRAWN BY: DUERFELDT</td> <td>1. BREAK ALL SHARP EDGES .015 x 45° OR .015R</td> </tr> <tr> <td>CHECKED: CLOUGH</td> <td>2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> <td>3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009</td> </tr> <tr> <td>QA APPR: LINDSAY</td> <td>USED ON MODEL</td> </tr> <tr> <td>APPROVED: GILBERT</td> <td></td> </tr> <tr> <td>SCALE 1:1</td> <td>DATE 10/23/2015</td> </tr> <tr> <td colspan="2" style="text-align: right;">SHEET 45 OF 53</td> </tr> </table>		MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° ✓	HEAT TREAT	FINISH	SPEC	DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	QA APPR: LINDSAY	USED ON MODEL	APPROVED: GILBERT		SCALE 1:1	DATE 10/23/2015	SHEET 45 OF 53	
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125° ✓																			
HEAT TREAT																				
FINISH																				
SPEC																				
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R																			
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING																			
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009																			
QA APPR: LINDSAY	USED ON MODEL																			
APPROVED: GILBERT																				
SCALE 1:1	DATE 10/23/2015																			
SHEET 45 OF 53																				

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-83 CH'D LENGTH OF HOSE WAS 2FT EACH IS 8" EACH. ADDED CLOSE ENDS & DRILL HOLES. CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM



DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-83	REV 3
MAT'L REPT TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: MACKOVJAK	
SCALE 1:12	DATE 10/27/2015
SHEET 46 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



TO 3 WAY BALL VALVE




-85

RINSE TANK ASSEMBLY

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-85	REV 3
MAT'L FEAT TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: MACKOVJAK	
SCALE 1:12	DATE 10/26/2015
SHEET 47 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



3X Ø1.88
THRU ONE WALL




(-87)

30 GALLON TANK

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-87	REV 3
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED
REAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
SPEC	1. BREAK ALL SHARP EDGES
	.015 x 45° OR .015R
DRAWN BY: DUERFELDT	2. DIMENSIONAL LIMITS APPLY
CHECKED: CLOUGH	AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER
QA APPR: LINDSAY	ASME Y14.5M-2009
APPROVED: MACKOVJAK	USED ON MODEL
SCALE 1:12	DATE 10/26/2015
SHEET 48 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




-89

30 GALLON TANK

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-89	REV 3
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED
FEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125° ✓
SPEC	1. BREAK ALL SHARP EDGES
DRAWN BY: DUERFELDT	.015 x 45° OR .015R
CHECKED: CLOUGH	2. DIMENSIONAL LIMITS APPLY
OPPS APPR: ANDERSON	AFTER PLATING
QA APPR: LINDSAY	3. INTERPRET DIM AND TOL PER
APPROVED: MACKOVJAK	ASME Y14.5M-2009
SCALE 1:12	DATE 10/26/2015
	SHEET 49 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-105 REMOVED -125.	9/8/2016	DPD	SM




(105)
PUMP ASSEMBLY

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-105	REV 3
MAT'L HEAT TREAT FINISH	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125°
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: CLOUGH	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: ANDERSON	USED ON MODEL
QA APPR: LINDSAY	
APPROVED: MACKOVJAK	
SCALE 1:8	DATE 10/26/2015
SHEET 50 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-121 ADDED DRAWING.	9/8/2016	DPD	SM




(-121)
BLUE HOSE

DART AEROSPACE	
TITLE 2000 WASH TRAILER	
DWG NO. HT-2000-121	REV 3
MAT'L PVC	UNLESS OTHERWISE SPECIFIED
TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED:	.015 x 45° OR .015R
OPPS APPR:	2. DIMENSIONAL LIMITS APPLY
QA APPR:	AFTER PLATING
APPROVED:	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
SCALE 1:2	DATE 10/30/2014
	SHEET 51 OF 53

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-191 ADDED DRAWING.	9/8/2016	DPD	SM



(-191)
GREEN HOSE

DART AEROSPACE	
TITLE 2000 WASH TRAILER	
DWG NO. HT-2000-191	REV 3
MAT'L PVC	UNLESS OTHERWISE SPECIFIED
TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED:	.015 x 45° OR .015R
OPPS APPR:	2. DIMENSIONAL LIMITS APPLY
QA APPR:	AFTER PLATING
APPROVED:	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
SCALE 1:2	DATE 10/30/2014
SHEET 52 OF 53	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3	16-0144	-203 CH'D TOLERANCES WAS .005 IS .010, WAS .01 IS .03.	9/8/2016	DPD	SM

BLACK LETTERS

USE LIFTING EYE ONLY WHEN UNIT IS EMPTY

12.8

.50

(-203)
DECAL

DART AEROSPACE	
TITLE 3000 WASH SYSTEM	
DWG NO. HT-3000-CW-203	REV 3
MAT'L VINYL	UNLESS OTHERWISE SPECIFIED
HEAT	DIMENSIONS ARE IN INCHES
TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: MACKOVJAK	3. INTERPRET DIM AND TOL PER
SCALE 1:2	ASME Y14.5M-2009
DATE 10/23/2015	USED ON MODEL
SHEET 53 OF 53	